Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLP-3 (Retatrutide) 40mg - 40mg

Tested for: NuStandard Labs LLC
www.nustandardlabs.com

PASS

COA #:	**COA-2026-I0CDJH**	Analysis Date:	**06/23/2026**
Lot Number:	**NL-R40-0626**	Appearance:	**Good**
Labeled Content:	**40mg**	Vial Size:	**3mL**
Vial Size:	**3mL**	Date Received:	**06/16/2026**

Method: **Full QC Panel**

Scan to verify authenticity at ils-lab.com
Access Code: 56B2VHG9

Identity	Peptide Purity	
GLP-3 (Retatrutide) 40mg	**99.97%**	Fentanyl Free




GLP-3 (Retatrutide) 40mg 40mg - NL-R40-0626

Full QC Panel

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	**99.97%**	%	**PASS**
Net Peptide Content	Report Only	**41.2**	mg	N/A
Identity (HPLC-RTM)	Retatrutide	**Confirmed**	-	**PASS**
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	**Not Detected**	-	**PASS**

HPLC Chromatogram



GLP-3 (Retatrutide) 40mg 40mg - NL-R40-0626: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	*Not Detected*	**PASS**
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	**PASS**
Chromium (Cr)	NMT 10 ppm	*Not Detected*	**PASS**
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	**PASS**
Lead (Pb)	NMT 1 ppm	*Not Detected*	**PASS**

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Dr. Greg Kalyuzhny
Lab Director
6/23/2026

COA #: **COA-2026-I0CDJH**
Access Code: **56B2VHG9**
Verify: lab.ils-lab.com
Issued: 6/23/2026

ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**NMT 0.05 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 06/23/2026. Methods: Full QC Panel.
2. The sample was confirmed to be GLP-3 (Retatrutide) 40mg by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.

Dr. Greg Kalyuzhny
Lab Director
6/23/2026

COA #: **COA-2026-I0CDJH**
Access Code: **56B2VHG9**
Verify: lab.ils-lab.com
Issued: 6/23/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.